

In the Claims:

Please cancel Claims 1-2, 8-12, 14 and 20; and amend Claims 3, 13 and 22 as indicated below. The status of all pending claims is as follows:

1-2. (Canceled)

3. (Currently Amended) A display device comprising:

a first substrate having on one surface thereof:

a plurality of light emitting ~~elements on one surface thereof;~~ elements,

and

a thin film transistor matrix for controlling the light emitting elements including a plurality of scan bus lines, a plurality of data bus lines intersecting the plurality of scan bus lines, and a plurality of thin film transistors arranged respectively at intersections between the plurality of scan bus lines and the plurality of data bus lines, and electrically connected to the respective plurality of the light emitting elements; and

a second substrate having thereon a circuit for controlling the plurality of the ~~light emitting elements,~~ thin film transistors, said second substrate being bonded to said one surface of the first substrate, and sealing a space where the plurality of the light emitting elements are ~~formed,~~ formed.

~~wherein a plurality of scan bus lines, a plurality of data bus lines intersecting the plurality of scan bus lines, and a plurality of switching elements arranged respectively at~~

~~intersections between the plurality of scan bus lines and the plurality of data bus lines and electrically connected to the respective plurality of the light emitting elements are formed on the first substrate.~~

4. (Previously Presented) A display device according to claim 3, wherein a scan bus line control circuit for controlling signals inputted into the plurality of scan bus lines, and a data bus line control circuit for controlling signals outputted from the plurality of data bus lines are formed on the first substrate.

5. (Previously Presented) A display device according to claim 3, wherein the circuit includes a scan bus line control circuit for controlling signals inputted into the plurality of scan bus lines, and a data bus line control circuit for controlling signals outputted from the plurality of data bus lines.

6. (Original) A display device according to claim 3, wherein the second substrate is a printed circuit board.

7. (Original) A display device according to claim 4, wherein the second substrate is a printed circuit board.

8-12. (Canceled)

13. (Currently Amended) A method for fabricating a display device comprising the steps of:

forming on one surface of a first substrate a plurality of light emitting elements and a thin film transistor matrix for controlling the light emitting elements including a plurality of scan bus lines, a plurality of data bus lines intersecting the plurality of scan bus lines, and a plurality of thin film transistors arranged respectively at intersections between the plurality of scan bus lines and the plurality of data bus lines and switching elements electrically connected to said respective plurality of light emitting elements;

forming on one surface of a second substrate a ~~prescribed circuit~~ for controlling the plurality of the thin film transistors which is to be electrically connected to said plurality of ~~switching elements;~~ thin film transistors; and

bonding the first substrate and the second substrate to each other with said one surface of the first substrate and said one surface of the second substrate opposed to each other to electrically connect the circuit to the plurality of switching elements.

14. (Canceled)

15. (Previously Presented) A method for fabricating a display device according to claim 13, wherein

in the step of bonding the first substrate and the second substrate to each other, the first substrate and the second substrate are bonded to each other, via a sealing compound, to seal a space where said plurality of light emitting elements are formed, and wherein a gas is sealed within said space.

16. (Previously Presented) A display device according to claim 3, wherein the light emitting elements are organic EL elements.

17. (Previously Presented) A display device according to claim 3, wherein the first substrate and the second substrate are electrically connected to each other by columnar electrodes formed between the first substrate and the second substrate.

18. (Previously Presented) A display device according to claim 3, wherein the first substrate and the second substrate are electrically connected to each other by a flexible substrate.

19. (Previously Presented) A display device according to claim 3, wherein light emitted by the light emitting elements is taken out toward the other surface of the first substrate.

20. (Canceled)

21. (Previously Presented) A display device according to claim 3, further comprising a sealing compound for sealing a gas within said space defined between said first substrate and said second substrate.

22. (Currently Amended) A display device according to claim 3, wherein the light emitting element and the ~~switching element~~ thin film transistor are positioned so as to overlap in a normal direction of the first substrate and the second substrate.